


CrossOver CO4080

State-of-the-art dual-channel GPR





CrossOver CO4080

State-of-the-art dual-channel GPR

The simple choice for both novices and experts The best general-purpose antenna to cover a wide-range of GPR applications. The CO4080 offers excellent resolution for shallow to medium depth investigations.

Application Areas

- Archaeology
- Concrete Inspection
- Damage Prevention
- Environmental Assessment
- Forensics
- Geological Investigation
- Road Inspection
- Utility Detection
- And more...

Basic Specification

Frequency: LF: 400 MHz | HF: 800 MHz

Dimensions: 444 x 355 x 194 mm

Weight: 6.35 kg (including battery)

Depth range: down to 6m

Highlights

- RTS-based technology
- Dual-channel (LF & HF)*
- Android-driven interface
- Wireless data collection
- Internal data security
- Integrated GPS
- 7-hour battery life
- No survey speed limitation

*CrossOver antennas can be configured as entry-level systems with single-channel operation (LF or HF), with upgrade path to dual-channel as needed.

CE and FCC approved.



Pulling configuration

The CrossOver measuring wheel and pulling accessories provide an alternative means to collect data in less accessible areas or where space is limited. Ergonomically designed to provide maximum comfort for the operator even during many hours of use.



Customized pulling configuration

The CrossOver CO4080 cart provides an efficient means to move the antenna over a range of surfaces for the rapid collection of GPR data. The handle assembly is fully foldable to reduce the physical footprint, making transportation and storage much more efficient.

CONTACT US TODAY

info@impulseradar.se

Impulse Radar AB Storgatan 78, SE- 939 32 Malå Sweden

+46 953 10008

Authorized representative:

